DESIGNATION OF TYPE SPECIES FOR THE GENERA OF AUSTRALIAN PAROPSINE BEETLES (COLEOPTERA: CHRYSOMELIDAE)

PETER G KELLY

16 Roberts Street, East Brunswick, Victoria 3057, Australia (pgkelly@melbpc.org.au)

C.A.M. REID

CSIRO Entomology, GPO Box 1700, Canbcıra, ACT 2601, Australia (Chris.Reid@ento.csiro.au)

Abstract

Kelly, P.G. and Reid, C.A.M., 1999. Designation of type species for the genera of Australian paropsine beetles (Coleoptera: Chrysomelidac). *Memoirs of Museum Victoria* 57: 263–266.

Type species are listed for all Australian genera in the subtribe Paropsina, including necessary first designations for *Chrysophtharta* Weise, *Faex* Weise, *Notoclea* Marsham, *Pyrgoides* gen. nov., *Sterromela* Weise, *Trachymela* Weise and *Trochalodes* Weise. The synonymy of *Notoclea* with *Paropsis* Olivier, and *Pyrgoides* with *Acacicola* Lea are confirmed. A new species synonym is recorded: *Paropsis hamadnyas* Stål = *Acacicola tristis* Lea.

Introduction

The paropsine chrysomelids are among the most diverse and taxonomically intricate group of beetles associated with natural vegetation in Australian. A few paropsines have in recent years become serious pests in cucalypt plantations in Australia, New Zealand and South Africa. Many of the 450 described species have been allocated uncritically to genus and the genera themselves have not always been delineated clearly. This paper is a start towards resolving these taxonomic problems.

The genus *Paropsis* was erected by Olivier (1807) for 14 Australian chrysomelid species. Marsham (1808) erected the genus *Notoclea* with 20 species which were incorporated into *Paropsis* by Olivier (1825). Subsequently, Boisduval (1835), Erichson (1842), Germar (1848), Boheman (1858), Stål (1860), Clark (1864, 1866), Baly (1864), Chapuis (1877) and Blackburn (1890–1901) added large numbers of species to the genus, so that by 1916, 406 species were listed from Australia (Weise, 1916). Since 1916, a number of species have been described by Weise (1817, 1923), Lea (1924), Gressitt (1963) and Selman (1983), and the current total is about 450 species.

This large number of rather similar species, many with quite inadequate descriptions, has

made identification by later workers very difficult. Several attempts have been made to split *Paropsis* into smaller groups. Motschulsky (1960) split three genera from *Paropsis*, namely Dicranosterna, Niliosoma, and Paropsisterna. Blackburn, in a series of papers (1897a–1901) arranged *Paropsis* into five "groups" and a number of "subgroups" while still retaining the genus Paropsis for all species. Weise (1901–1915) split Paropsis into nine genera: Sterromela Weise, Trochalodes Weise, and Dicrauosterna Motschulsky in the tribe Dicranosternini Weise and Paropsis Olivier, Paropsisterna Motschulsky, Chrysophtharta Weise, Trachymela Weise, Faex Weise, Procris Weise, Philhydronopa Weise and Pyrgo Weise in the tribe Paropsinini Weise. Most of these genera are poorly diagnosed with no accompanying illustrations. Some are defined only by the species that Weise placed in them and most lack designated type species.

Daccordi (1994) presented a checklist of world chrysomeline genera and made several new synonymic designations in the paropsine genera, thus at present 15 Australian genera are considered valid.

For this paper type specimens were examined for most designated type species and where none was available specimens named by Blackburn or Lea were used. The validity of these genera is not discussed here.

Australian generic names in the Paropsina (sensu Daccordi, 1994), with designated type species

The name Coccinelloides Latreille is not listed below. Selman (1963) following Weise (1916) claimed that this is an available generic-rank name based on a species, "anstralasiae", without authorship. He then decided that Chrysomela anstralasiae Fabricius was the intended species and declared this to be the type species. We believe that the phrase "coccinelloides australasiae" of Latreille (1807:58) was never meant to be generic but was merely descriptive and this is clearly how Latreille uses the term 'coccinelloides' in a later work (1825: 10).

Acacicola Lea, 1902: 392

Type species. Acacicola tristis Lea, 1903 by monotypy,

Chondromela Weise, 1915: 435

Type species. Chondromela mjoebergi Weise, 1915 by monotypy.

Chrysophtharta Weise, 1901: 165

Type species. Weise (1901) did not nominate a type species but listed six species. The first of these, *Paropsis nobilitata* Erichson, 1842, is here designated type species.

Dicranosterna Motschulsky, 1860: 193

Type species. Paropsis picea Olivier, 1807 by original designation.

Facx Weise 1901: 165

Type species. Weise (1901) did not designate a type species but listed three species names. The first, *Paropsis notatipermis* Chapuis, 1877 is here designated type species.

Niliosoma Motschulsky, 1860: 194

Type species. Paropsis testacca Olivier, 1807 by original designation. This species is unrecognisable and the type is apparently lost. Niliosoma is therefore a nomen dubium and musable, but it any case it has always been ignored by Australian workers.

Notoclea Marsham, 1808: 283

Type species. Marsham described 20 species in this genus but failed to designate a type. Notoclea obsoleta Marsham, 1808 is hereby designated type species. Notoclea obsoleta is a junior

synonym and homonym of *Paropsis obsoleta* Olivier, 1808 therefore synonymy of the two genera is confirmed (Daccordi, 1994).

Novacastria Selman, 1983a: 179

Type species. Novacastria nothofagi Selman, 1983 by original designation and monotypy.

Paropsides Motschulsky, 1860: 192

Type species. Paropsis duodecimpustulata Gebler, 1825 by original designation.

Paropsis Olivier, 1807: 596

Type species. Paropsis obsoleta Olivier, 1807 by subsequent designation (Selman, 1963).

Paropsisterna Motschulsky, 1860: 192

Type species. Notoclea sexpustulata Marsham, 1808 by original designation.

Philhydronopa Weise, 1901: 166

Type species. Paropsis aeneipennis Chapuis, 1877 by original designation.

Procrisina Aslam, 1968: 129

Procris Weise, 1901: 165, nec Fabricius, 1807 (junior homonym).

Clorindina Jolivet, 1957: 170, nee Khoda-

lerich, 1930 (junior homonym).

Clorindiella Jolivet, 1971: 382 (unecessary nom. nov.).

Type species. Paropsis pictipenuis Boheman, 1858 by original designation (Weise, 1901).

Pyrgoides gen. nov.

Pyrgo Weise 1901: 166, nec Defrance, 1824 (junior homonym).

Pyrgoides Aslam, 1968: 129 (nomen nudum, no type species)

Type species. The name Pyrogoides was proposed by Aslam (1968) as a replacement name for the preoccupied Pyrgo Weise. Published after 1930 Aslam's name is unavailable as no type species was designated (ICZN Article 13(b)). We make it available here. Weise (1901) did not designate a type species of Pyrgo but listed a number of species to be included in his genus. Paropsis hamadryas Stål, 1860, one of these, is hereby designated type species. This species is a senior synonym of Acacicola tristis Lea (syn. nov.; types examined), thereby confirming synonymy of Pyrgoides with Acacicola Lea (Daccordi, 1994).

Rhaebosterna Weise, 1917: 124

Type species. Rhaebosterua sciola Weise, 1917 by monotypy.

Sterromela Weise, 1915: 436

Type species. Weise (1915) placed four species of Paropsis in Sterromela without designating a type species. The first named of these, Paropsis subcostata Chapuis, 1877 is here designated type species.

Trochalodes Weise, 1901; 167

Type species. No type species was designated by Weise (1901) but three species were named, two erroneously. The first and only correctly named species, *Paropsis circe* Stål, 1860 is here designated the type species.

Trachymela Weise, 1908; 8

Type species. No type species was deisgnated by Weise but he listed three species names and, by inference, all species in Blackburn's Group III of *Paropsis*. One of the listed names, *Paropsis sloanei* Blackburn 1897, is here designated type species.

Xanthogramma Weise, 1923: 63

Type species. Xanthogramma pellucida Weise, 1923 by monotypy.

Acknowledgements

We are grateful to Dr T. New (LaTrobe University, Melbourne), Dr K. Walker (Museum Victoria, Melbourne) and Dr E. Matthews (South Australian Museum, Adelaide) for access to collections and helpful discussion. This work was completed with assistance to PGK from the Science and Industry Endowment Board.

References

- Aslam, N.A., 1968. Nomenclatorial notes on Chrysomeloidea (Coleoptera). *Journal of Natural History* 2: 127–129.
- Baly, J.S., 1864. Descriptions of the species belonging to the genus *Paropsis*, *Journal of Eutomology* 2: 291–310.
- Blackburn, T., 1890. Further notes on Australian Coleoptera, with descriptions of new genera and species. Transactions of the Royal Society of South Australia 13(2): 121–160.
- Blackburn, T., 1892b. Further notes on Australian Coleoptera, with descriptions of new genera and species. *Transactions of the Royal Society of South Australia* 15(2): 207–261.

- Blackburn, T., 1894. Further notes on Australian Coleoptera, with descriptions of new genera and species. *Transactions of the Royal Society of South Australia*, 18: 200–240.
- Blackburn, T., 1896. Colcoptera. Report of the Horn Expedition to Central Australia 2 (Zoology): 254-308.
- Blackburn, T., 1897a, Revision of the genus *Poropsis*. Part I. *Proceedings of the Lumean Society of New South Wales* 21(4): 637–693.
- Blackburn, T., 1897b. Revision of the genus *Paropsis*. Part II. *Proceedings of the Linnean Society of New South Wales* 22(1): 166–189.
- Blackburn, T., 1898. Revision of the genus Paropsis. Part III. Proceedings of the Linnean Society of New South Wales 23 (2): 218–263.
- Blackburn, T., 1899a. Revision of the genus Paropsis Part IV. Proceedings of the Linnean Society of New South Wales 23(4): 656–700.
- Blackburn, T., 1899b. Revision of the genus Poropsis. Part V. Proceedings of the Linnean Society of New South Wales 24(3): 482–521.
- Blackburn, T., 1901. Revision of the genus *Paropsis*. Part VI. *Proceedings of the Lannean Society of New South Wales* 26(1): 159–196.
- Boheman, C.H., 1858. Kongligo Svenska Fregotten Engenies Resa omkring Jorden aren, 1851–1853. Vol. 2 (Zoology 1, Insecta): 113–218. Stockholm.
- Boisduyal, J.B.A., 1835. Fovage de déconvertes de l'Astrolobe. Fanne Entomologique 2. Coléoptères et antres ordres. Tastu: Paris, vii+716 pp.
- Chapuis, F., 1877. Synopsis des espèces du genre Paropsis. Annales de la Société entomologique de Belgique 20: 67-101.
- Clark, H., 1864. Descriptions of new Australian Phytophaga. Journal of Entomology 2: 247–263.
- Clark, H., 1866. Descriptions of new Phytophaga from Western Australia. Transactions of the Entomological Society of London (3) 2; 401–421.
- Daccordi, M., 1994. Notes for phylogenetic study of Chrysomelinae, with descriptions of new taxa and a list of all the known genera (Coleoptera: Chrysomelidae, Chrysomelinae). Pp. 60-84 in Furth, D.G. (ed.) Proceedings of the Third International Symposium on the Chrysomelidae, Beijing., 1992. Backhuys: Leiden.
- Frichson, W.F., 1842. Beitrag zur Fahna von Vandiemensland, mit besonderer Rucksicht auf die geographische Verbreitung der Insecten. Archiv für Naturgeschichte 8(1): 83–287.
- Germar, E.F., 1848, Beitrage zur Insektenfanna von Adelaide. *Linnaea entomologic*a 3: 153-247.
- Gebler, F., 1825, Pp. 54–55 in Hummel (ed.) *Essais Entomologiques*. 4. St Petersburg.
- Gressitt, J.L., 1963. Economic chrysomelid beetles from New Guinea, with new species. *Papna and New Gninea Agricultural Journal* 16(2&3): 105-116.
- Jolivet, P., 1957. Recherches sur l'aile des Chrysomeloidea (Colcoptera). Denxième partie. Mémoires de l'Institut Royale des Sciences Naturelles de Belgique 2(51): 1-180

Jolivet, P., 1971. Rectifications de nomenclature chez les Chrysomclidac (Col.): le genre *Procris. Bulletin et Aunales Société Royale Entomologique de Belgique* 107: 382.

Latreille, P.A., 1807. Genera crustaceorum et insectorum secundum ordinem in familias disposita, icouibus exemplisque plurimus explicata. Vol. 2.

Paris

- Latreille, P.A., 1825. Encyclopédie méthodique. Histoire naturelle. Entomologie, ou histoire naturelle des crustacés, des arachnides et des insectes. Volume 10. Paris.
- Lea, A.M., 1903. Descriptions of some new species of Australian and Tasmanian Chrysomelidae. Proceedings of the Australian Association for the Advancement of Science (D)9(1902): 384–431.
- Lea, A.M., 1924. On Australian Coleoptera. Part V. Records of the South Australian Museum 2(4): 523–545.
- Marsham, T., 1808. Description of *Notoclea*, a new genus of coleopterous insect from New Holland. *Transactions of the Linnean Society, London* 9: 283–295.
- Motschulsky, V., 1860. Coléoptères de la Siberie orientale et un particulier des rîves de l'Amour. Pp. 77–257 in Schrenk (ed.), Reisen und Forschungen im Anuarlande. Vol. 2. St Petersburg.
- Olivier, A.G., 1807. Entomologie, ou histoire naturelle des insectes, avec leur caractères generiques et spécifiques, leur description, leur synonymie, et leur figure enluminée. Coléoptères. Vol. V. Paris.

Dlivier, A.G., 1925. Paropside. Encyclopedia Methodique Historie Naturelle. Insects Vol. 10: 10–12.

- Selman, B.J., 1963. A reappraisal of the genus *Paropsis* Ol. (Chrysomelidae, Coleoptera), with particular reference to the species introduced into New Zealand. *Annals and Magazine of Natural History* (13) 6: 43–7
- Selman, B.J., 1983a. The biology and herbivory rates of *Novacastria nothofagi* Selman (Coleoptera: Chrysomelidae), a new genus and species on *Nothofagus moorei* in Australian temperate rainforests. *Australian Journal of Zoology* 31: 179–191
- Selman, 1983b. The naming of the Tasmanian species of *Paropsis* Olivier (Coleoptera: Chrysomelidae). *Journal of the Australian entomological Society* 22: 333–339.
- Stål, C., 1860. Till kännedomen om Chrysomelidae Öfversigt af Kongl Vetenskaps- Akademiens Förhandlingar 9: 455–470.
- Weise, J., 1901. Ein Beitrag zur Kenntniss von *Paropsis* Oliv. *Archiv für Naturgeschichte* 67: 164–174.
- Weise, J., 1903. Paropsisterna striata nov. spec.

 Deutsche entomologische Zeitschrift, 1903: 108.
- Weise, J., 1908. Chrysomeliden und Coccinelliden. *Die Fauna Südwest-Australiens* 2(1)(1908): 1–13.
- Weise, J., 1915. Übersichte der Chrysomelini. Deutsche entomologische Zeitschrift. 1915: 434–436.
- Weise, J., 1916. Chrysomelidae: 12. Chrysomelinae. Coleopterorum Catalogus 68: 1–255.
- Weise, J., 1917. Über australische Chrysomelinen. Achiv für Naturgeschichte 82: 124–141.
- Weise, J., 1923. Results of Dr E. Mjöberg's Swedish scientific expeditions to Australia, 1910–1913. 31. Chrysomeliden und Coccinelliden aus Queensland. Arkiv för Zoologi 15(12): 1–150.